

Where is the antimatter?*

Guang-jiong Ni[†]

Department of Physics, Fudan University
Shanghai, 200433, P.R.China

May 6, 1998

Abstract

The antimatter exists everywhere, but under suppressed state. So its appearance is nothing but the various effects of special relativity.

The most remarkable features in high energy physics are:

- (a) the equal existence of particle and antiparticle;
- (b) the mutual transformation between various kinds of particles

For instance, the antiparticle of electron (e^-) is positron (e^+). They have equal mass, opposite charge and are all stable. But once they encounter each other, an “annihilation” process would occur and they transform into a pair of photons:

$$e^+ + e^- \rightarrow \gamma_1 + \gamma_2 \quad (1)$$

The above process was first discovered by Chinese Physicist C. Y. Chao in 1930 (C. Y. Chao, Proc. Nat. Acad. of Sci. 16, 431(1930), Phys. Rev. 36, 1519(1930)). He measured that the energy of one photon equals approximately to the rest energy of electron: $E_{\gamma_1} \simeq E_{\gamma_2} \simeq m_e c^2 = 0.511 MeV$. Two years later, Anderson verified definitely the existence of positron (C. D. Anderson, Science 76,238(1932)). See Ref [1].

*A lecture presented at the High Energy Physics Conference in China Nationwide. (1998, 4.21-4.25 Chengde, Hebei, P.R.China).

[†]E-mail: gjni@fudan.ac.cn

The research in Astrophysics reveals that the quantity of antimatter in the universe is far less than that of matter with a ratio $< 10^{-9}$ approximately. The tiny asymmetry may have important meaning in the combination of particle physics with cosmology. The enormous energy source of QUASAR, the remote celestial body discovered since 1960, may have some relevance to the annihilation of matter and antimatter. Besides, the enormous energy release in the supernova explosion might also be relevant to antimatter according to some theoretical conjecture.. But to our knowledge, no definite answer is achieved.

The aim of this paper is to propose an alternative point of view. The antimatter is existing everywhere, including everyone's body. Though its ratio to matter is extremely small, its absolute quantity is rather large. The reason why we don't feel it is as follows. The antimatter is under a suppressed state, so instead of opposite charge, its appearance is precisely the special relativity (SR) effect familiar to every physicist.

Since the discovery of parity violation in 1956 and the CP violation (i.e., the nonconservation of T inversion whereas CPT theorem remains valid) in 1964, physicists have been gradually accepting the definition relating the particle state $|a\rangle$ to its antiparticle state $|\bar{a}\rangle$ as a combined CPT transformation rather than C transformation:

$$|\bar{a}\rangle = CPT|a\rangle \quad (2)$$

Performing the inversion of C, P and T independently on the wave function (ψ_{e-}) of an electron, one sees that the combined effect of CPT inversion is essentially ascribed to the transformation $\vec{x} \rightarrow -\vec{x}, t \rightarrow -t$. (There is a complex conjugate transformation in C inversion as well as in T inversion, they cancel each other). Thus

$$\psi_{e-} \simeq \exp\left\{\frac{i}{\hbar}(\vec{p} \cdot \vec{x} - Et)\right\} \quad (3)$$

turns to the wave function of a positron

$$\psi_{e-} \simeq \exp\left\{\frac{i}{\hbar}(\vec{p} \cdot \vec{x} - Et)\right\} \quad (4)$$

automatically, where $\vec{p}$ is the momentum of e^- or e^+ and $E (> 0)$ is the energy individually. Eqs (3) and (4) denote that the difference between wave

functions of particle and antiparticle is ascribed to the opposite sign in their phases. This point of view, to our knowledge, was proposed by Schwinger et al [3] in quite early time. However, it was overlooked by the majority of physics community.

It seems to us that once we go one step further from the above point of view, an interesting and important thing will occur. Being some special kind of wave function, Eqs (3) and (4) show a symmetry:

$$\Psi_{e-}(\vec{x}, t) \rightarrow \Psi_{e-}(-\vec{x}, -t) = \Psi_{e+}(\vec{x}, t) \quad (5)$$

Now it is the time to go forward “from the special case to the general case”. Suppose that the symmetry shows by Eq (5) is a general law of nature, i.e., any matter comprises two opposite degrees of freedom, described by wave functions $\theta(-\vec{x}, -t) = \chi(\vec{x}, t)$ with the symmetry

$$\theta(-\vec{x}, -t) = \chi(\vec{x}, t) \quad (6)$$

Correspondingly, the coupling equation of θ and χ should be invariant under the transformation $(\vec{x} \rightarrow -\vec{x}, t \rightarrow -t)$ and the substitution Eq.(6).

Based on the above postulate, one is able to derive, in an inertial coordinate system without resort to the Lorentz transformation, the Klein-Gordon equation and Dirac equation ([4], [5]). A new stationary Schrödinger equation for many particle system with relativistic modification is also derived ([6]). Hence we see that the wave function of an electron shown by Eq.(3) is actually a coherent superposition of two ingredients, θ and χ . In accompanying with the enhancement of momentum $\vec{p}$, χ increases from zero gradually till a limit is achieved at $\vec{p} \rightarrow \infty$, (the velocity $v \rightarrow c$):

$$\lim_{v \rightarrow c} |\chi| = |\theta| \quad (7)$$

The subtlety lies in the fact that there is always an inequality $|\theta| > |\chi|$ in Ψ_{e-} and they don't exhibit the symmetry (6) explicitly. The explanation is as follows. According to its instinct, θ demands the space-time evolution direction in its phase as shown in Eq.(3) whereas χ demands the opposite one as shown by Eq.(4). However, being the “slave” in Ψ_{e-} , χ has to obey the disposition of “master” θ , so both of them display the phase evolution law as shown by Eq.(3). Of course, χ is not willing to do like this. But what he can do is to try to hold the electron back. Hence the inertial mass of

electron increases without a limit. Meanwhile, the reading of “moving clock” in accompanying with θ (or χ), according to Eq.(3) (or (4)) in instinct, is read out “clockwise” (or “anticlockwise”). Now θ dominates the electron, so its clock reading is still clockwise. However, it becomes slower and slower with the enhancement of ingredient χ [7].

Performing a space-time inversion ($\vec{x} \rightarrow -\vec{x}, t \rightarrow -t$ according to our new definition) on the electron wave function, one finds that $\theta \rightarrow \chi_c, \chi \rightarrow \theta_c$ with $|\chi_c| > |\theta_c|$, (the subscript c refers to antiparticle state), bringing Eq.(3) to Eq.(4), i.e., an electron changes to a positron.

Therefore, a particle is always not pure. When a particle is set into motion from the rest state, the antiparticle ingredient is excited coherently inside it. The various effects in special relativity are nothing but the various reflections of antiparticle ingredient which is under a subordinate status and is just displaying its presence tenaciously. One of its reflections is as follows. As is well known, In nonrelativistic quantum mechanics (QM), the modulus square of wave function can be explained as “the probability density of particle at position $\vec{x}$ when the measurement is made” by Born statistical interpretation. However, it was still hard to understand why a wave packet of freely moving particle would spread unceasingly? In Ref [8] we try to interpret the wave function as some abstract representation of “contradiction field” between particle and its environment, with $\vec{x}$ being the flowing coordinate of “field” rather than the position coordinate of “point particle”. Then as one assumes first the external potential field $V(x) = 0$ (no interaction between particle and environment), next one supposes that $\psi(x, 0)$ has a wave packet distribution at $t = 0$, so consequently, the wave packet has no way but to spread and approach to zero. The situation becomes quite different for Klein-Gordon equation or Dirac equation, where the wave packet does not spread at $v \rightarrow c$, rather, it suffers from a boosting in accompanying with the Lorentz contraction. In our point of view, it is just a reflection of coexistence of two field, θ and χ , the latter being a little bit smaller. They entangle together to ensure the inner stability of a particle, which behaves like a classical particle again at $v \rightarrow c$. This is the reason why we can devise the pulse working mode for a high energy particle accelerator.

Einstein established the SR by two papers in 1905. In the first paper he raised two “relativistic postulates”, the “postulate of relativity” and the “postulate of constancy of speed of light”. Then in the second paper he derived the mass-energy relation $E^2 = mc^2$ ingeniously by means of the

Lorentz transformation in the propagation of light. Thus the “light” occupies a unique position in SR. From our point of view, a photon with right circular polarization could be viewed as a “particle” while the left circular polarization one is a “antiparticle”. So a linear polarization photon could be viewed as an superposition of particle and antiparticle states each with 50% ingredient. A photon is always an extremely relativistic particle. In some sense, when Einstein established SR by “light”, he was also making use of the method “from the special case to the general case”.

The great success of SR and QM makes physicists familiar with the deduction method which emphasizes the way from the general case to special case. However, the other way from the special case to general case, i.e., the analysis and induction method is also very important and should not be neglected. Only the combination of these two methods will be beneficial to the further development of physics.

References

- [1] Bing-an Li and C. N. Yang, *Int. Jour. Mod. Phys A*, 4, No.17, (1989) 4325.
- [2] T. D. Lee and C. S. Wu, *Annual Rev. Nucl. Sci.* 15 (1965) 381.
- [3] J. Schwinger, *Proc. Nat. Acad. Sc. U.S.* 44 (1958) 223;
E.J. Konopinski and H.M. Mahmaud, *Phys. Rev* 92 (1953) 1045.
- [4] G-j Ni, The relation between space-time inversion and particle-antiparticle transformation, *Journal of Fudan University (Natural Science)*, 1974, No.3/4,125.
- [5] G-j Ni and S-q Chen, On the essence of special relativity, *ibid*, 35 (1996) 325; Internet, hep-th/9508069 (1995).
- [6] G-j Ni and S-q Chen, Relativistic Stationary Schrödinger equation for many particle system, *ibid*, 36 (1997) 247; G-j Ni, hep-th/9708156 (1997).
- [7] G-j Ni, To enjoy the morning flower in the evening——Is special relativity a classical theory?
Kexue (Science), 50 (1998), No. 1, 29; quant-ph/9803034.
- [8] G-j Ni, To enjoy the morning flower in the evening——where is the subtlety of quantum mechanics? *ibid*, No. 2, 38; quant-ph/9804013.